

|  |                        |                             |   |
|--|------------------------|-----------------------------|---|
| WAAS<br>CH <b>45906</b><br><b>W23A</b> | APP CRS<br><b>236°</b> | Rwy Idg<br>TDZE<br>Apt Elev | <b>7502</b><br><b>747</b><br><b>748</b> |
|--|------------------------|-----------------------------|---|


# RNAV (GPS) Y RWY 23

CHARLOTTE/DOUGLAS INTL (CLT)



▼ Circling NA at night. For uncompensated Baro-VNAV systems, LNAV/VNAV NA below -16°C (4°F) or above 47°C (116°F). DME/DME RNP-0.3 NA.

MISSED APPROACH: Climb to 4000 direct KECKS and hold, continue climb-in-hold to 4000.

|   |  |   |   |   |
|---|--|---|---|---|
| D-ATIS<br>ARR <b>121.15</b><br>DEP <b>132.1</b> | CHARLOTTE APP CON<br>(001°-119°) <b>128.32</b><br>(120°-295°) <b>120.05</b><br>(296°-360°) <b>134.75</b><br>(180°-359°) <b>257.2</b><br>(360°-179°) <b>307.8</b> | CHARLOTTE TOWER<br>(Rwys 18L-36R, 5-23) <b>118.1 257.8</b><br>(Rwy 18C-36C) <b>126.4 257.8</b><br>(Rwy 18R-36L) <b>133.35 257.8</b> | GND CON<br><b>121.8 348.6</b> (WEST)<br><b>121.9 348.6</b> (EAST) | CLNC DEL<br><b>127.15</b><br><b>348.6</b> |
|---|--|---|---|---|



|                 |          |                 |
|-----------------|----------|-----------------|
| ELEV <b>748</b> | <b>D</b> | TDZE <b>747</b> |
|-----------------|----------|-----------------|



|                   |         |             |                               |                               |
|-------------------|---------|-------------|-------------------------------|-------------------------------|
| CATEGORY          | A       | B           | C                             | D                             |
| LPV DA            |         | 947/40      | 200 (200-3/4)                 |                               |
| LNAV/VNAV DA      |         | 1222-13/4   | 475 (500-13/4)                |                               |
| LNAV MDA          | 1180/50 | 433 (500-1) | 1180/60<br>433 (500-1 1/4)    | 1180-1 1/2<br>433 (500-1 1/2) |
| <b>C</b> CIRCLING | 1380-1  | 632 (700-1) | 1500-2 1/4<br>752 (800-2 1/4) | 1500-2 1/2<br>752 (800-2 1/2) |

SE-2, 25 FEB 2021 to 25 MAR 2021

SE-2, 25 FEB 2021 to 25 MAR 2021