


APP CRS 036°	Rwy Idg TDZE Apt Elev	10000 645 645
------------------------	-----------------------------	------------------------------------------


RNAV (RNP) X RWY 4L

DETROIT METROPOLITAN WAYNE COUNTY (DTW)

RNP AR APCH. Simultaneous approach authorized. For uncompensated Baro-VNAV systems, procedure NA below -19°C or above 54°C. For inop ALS, increase RNP 0.30 DA all Cats visibility to RVR 6000.		ALSF-2 	MISSED APPROACH: Climb to 1100 then climbing left turn to 4000 direct DOHNT and hold.	
D-ATIS 133.675	DETROIT APP CON 124.05 284.0	METRO TOWER 135.0 317.725	GND CON 121.8 (NW) 119.45 (NE) 132.725 (SW) 119.25 (SE)	CLNC DEL 120.65
			CPDLC	



ELEV 645	D	TDZE 645
----------	----------	----------



VGSI and RNAV glidepath not coincident (VGSI Angle 3.00/TCH 71).

	ASLLI	NATY	REGGE	PAYED	RW04L
GP 3.00° TCH 55	3000	3000	3000	2000	2000
	4.2 NM	3.1 NM	3.1 NM	4.1 NM	
CATEGORY	A		B	C	D
RNP 0.15 DA	970/26		325 (400-½)		
RNP 0.30 DA	1058/40		413 (500-¾)		

AUTHORIZATION REQUIRED

TDZ/CL Rwy 3R, 4L, 4R and 22R
REL Rwy 3L, 9L, 9R and 21R
HIRL all runways

EC-1, 25 FEB 2021 to 25 MAR 2021

EC-1, 25 FEB 2021 to 25 MAR 2021