

HI-ILS or LOC RWY 28R


LOC/DME I-AP 111.3 Chan 50	APCH CRS 283°	Rwy ldg TDZE Arprt Elev 9290 31 31
--	-------------------------	--

JAL-330 [USAF]

PORTLAND INTL (KPDX)

▼ * When ALS inop, increase CAT E RVR to 40.
 ** When ALS inop, increase CAT E vis to 1½.



ATIS 128.35 269.9	PORTLAND APP CON 118.1 284.6 (100°-279°) 124.35 299.2 (280°-099°)	PORTLAND TOWER 118.7 257.8 Rwy 10L-28R 123.775 251.125 Rwy 3-21, 10R-28L	GND CON 121.9 348.6	CLNC DEL 120.125 318.1
-----------------------------	---	--	-------------------------------	----------------------------------



RADAR or DME REQUIRED

EMERG SAFE ALT 100 NM
 16,700 FROM "CBU" TACAN

600	4000	BEAST CBU 10	VGSI and ILS glidepath not coincident VGSI Angle 3.00/TCH 70	Use I-AP DME when on LOC course.	ELEV 31	TDZE 31
-----	------	--------------	---	----------------------------------	---------	---------



CATEGORY	C	D	E
S-ILS 28R *	281/24	250	(300-½)
S-LOC 28R **	560/55	529	(600-1)
CIRCLING	1060-3		1140-3
	1029 (1100-3)		1109 (1200-3)

LOC FAF to MAP 6 NM					
Knots	120	140	160	180	200
Min:Sec	3:00	2:34	2:15	2:00	1:48

HI-ILS or LOC RWY 28R

NW-1, 25 FEB 2021 to 25 MAR 2021

NW-1, 25 FEB 2021 to 25 MAR 2021